



SPECIFICATION SHEET

Evo 55 Barrier

SPECIFICATION SHEET

Evo 55 Barrier



PRODUCT DESCRIPTION >

The water filled Evo 55 barrier is transforming public safety in Britain. Protecting road users and pedestrians from hazardous areas such as repairs to roads and walkways, these barriers have a proven track record of safety performance.

Ideal for site and traffic delineation, each barrier weighs 28kg when filled with water. You can create straight or curved paths quickly and easily by interlocking barriers together.

As well as being robust and stable, Evo 55 barriers are remarkably lightweight when emptied and, as such, can be moved around and stored easily.


EVO 55 BARRIER SPEC >

Length	Height	Width	Weight Empty	Weight Full
1000mm	555mm	400mm	8kg	28kg

KEY FEATURES >

- Ideal for site delineation and safety
- Create solid walls leaving no gaps between each barrier
- Rapid offload & installation time due to size and weight
- Barriers for both traffic and pedestrian situations
- Compatible for post & plank or mini mesh panels
- Produced from UV stabilised prime polyethylene
- Easily stackable for transport and storage
- Allows for angles and curves
- Stack 24 per pallet
- Fill capacity 20 litres

EVO 55 BARRIER VISUAL APPEARANCE >



DIMENSIONS > A. 400mm - B. 1000mm - C. 555mm

SPECIFICATION SHEET

Evo 55 Barrier With Fence



PRODUCT DESCRIPTION >

Of all our water filled safety barriers, the Evo 55 barrier is the lightest. It weighs just 8kg when emptied yet is remarkably solid and secure once deployed.

The barrier offers an excellent solution for those keen on maximum manoeuvrability. By combining the Evo 55 barrier with a mesh fence you can enhance the height and functionality of your barrier system. With a barrier height of 550mm you can easily reach a 1m height with a mesh fence addition.

Choose from red and white colour barriers, combining the two for the highest visibility. The barriers can also be enhanced by coordinating reflective rails, making your barrier system that much clearer to pedestrians and traffic.

Both weatherproof and tamper proof too, this is an excellent secure safety barrier solution.


EVO 55 BARRIER FENCE SPEC >

Width	Height	Thickness	Weight
960mm	560mm	40mm	4kg

KEY FEATURES >

- Can incorporate mesh handrail system
- Barrier & Fence Combined Weight 12kg
- Extends overall height to 1115mm
- Lightweight and easy to install
- Anti-climb mesh panel
- White powder coated finish

EVO 55 BARRIER VISUAL APPEARANCE >




DIMENSIONS > A. 960mm - B. 790mm - C. 560mm - D. 230mm

SPECIFICATION SHEET


Evo 55 Barrier Technical Overview



TECHNICAL DETAILS >



Female Connection



Interlocked Red & White Barriers



Multiple Evo 55's Stacked On Van & Trailer