



SPECIFICATION SHEET

Alphabloc Barrier

SPECIFICATION SHEET

Alphabloc Barrier



PRODUCT DESCRIPTION >

The uniquely foldable AlphaBloc® Barrier has been developed as a convenient alternative to the conventional style of water filled separators, allowing increased quantities on a pallet while achieving less of a stacking height.

The Alphabloc is very user friendly due to its unique folding design, strong durable hinge system and carry handle. An acute angled bloc design allows for multiple configurations on both flat and uneven surfaces, and for extra ballast the Alphablocs can be water filled.

Up to 40 Alphablocs can be stacked onto a single pallet, which reduces storage capacity and aids distribution. The design enables a contractor to half the cost of storage and transport, reducing their carbon footprint.

ALPHABLOC BARRIER SPEC >


Height	Length	Width*	Weight
626.5mm	1064mm	391mm	5.5kg

*Width when folded 118mm**

KEY FEATURES >

- Versatile alternative to conventional water filled barriers
- Unique folding design with a locking hinge system
- Weighs just 5.5kg when empty, and 20kg plus when filled
- Easily stack up to 40 units per pallet
- Blow moulded from high density polyethylene (HDPE)
- Deployment of connected barriers is quick and easy, and is also possible on uneven ground
- Interconnected barriers can form a variety of layouts
- Each barrier can be branded with your company logo

ALPHABLOC BARRIER VISUAL APPEARANCE >




DIMENSIONS > A. 1064mm - B. 391mm - C. 626.5mm - D. 118mm (folded width)

SPECIFICATION SHEET

Alphabloc Barrier



TECHNICAL DETAILS >



Can Be Water Filled



Stack 40 Barriers Per Pallet



Have Yourr Own Logo Embossed



Interlock At Angles To Form Circles