





SPECIFICATION SHEET Buddha Barrier

SPECIFICATION SHEET Buddha Barrier



PRODUCT DESCRIPTION >

The Buddha Barrier is a uniquely designed, completely anti-trip water filled separator. Available with, or without a reflective strip.

At 800 mm in height, it creates a safer environment for pedestrians over traditional Water Filled Separators, as well as this, the Buddha Barrier can be fitted with a metal fence panel that creates a barrier over 1.8m in height.

BUDDHA BARRIER SPEC >

Height	Length	Depth	Weight Empty	Weight Full
800mm	1040mm	280mm	5.5kg	27.5kg

KEY FEATURES >

- Can be used either way due to duel reflective
- AVAILABLE WITH OR WITHOUT REFLECTIVE STRIP
- Stable & secure stacking
- Two can be faced together over exposed holes & damaged manhole covers
- Capacity to hold 22 litres bringing the complete weight to 27.2 kg
- Connect to one another using the S-Clip
- Concave area can be used for spoil placement
- Large corporate branding area of 300 x 170mm
- Automatic overflow indication prevents overfilling
- Manufactured from HDPE & 100% recyclable
- Can be positioned at a connection of over 270°
- Reflectivity requirements of BSEN12899-1
- Hole & bung can be supplied if required for drainage
- Completely anti-trip
- Hi-Vis reflective strips available

BUDDHA BARRIER VISUAL APPEARANCE >





SPECIFICATION SHEET Buddha Barrier Double Top



PRODUCT DESCRIPTION :

The handy lightweight DoubleTop fence add-on system allows end users to quickly convert their 800mm high Buddha Barrier into a substantial 1800mm fence.

In addition to being lightweight the DoubleTops blow moulded structure means there is no need to worry about sharp edges when handling the panel.

The plastic unit also has the advantage of being colour coded to match the red and whiter Buddha barrier, meaning maximum visual impact when on site.

BUDDHA BARRIER FENCE SPEC >

Height	Working Width	Actual Width	Depth	Weight
1000mm	1010mm	1110mm	50mm	4.4ka



KEY FEATURES >

- DoubleTops come in red and white
- Lightweight at only 4.4kg
- Takes overall height to 1800mm
- Simple interlocking hock and eye connection
- Single operative installation
- Easy to stack, transport and handle
- Strong yet non-permanent fixing
- Manufactured from HDPE & 100% recyclable
- Can be embossed and/or colour coded for corporate identification
- No sharp edges

FENCE VISUAL APPEARANCE



SPECIFICATION SHEET Buddha Barrier Corner Layout



PRODUCT DESCRIPTION >

The Buddha Barrier can actually rotate over 270° degrees due to its unique design.


Pivoting on its own connection pin the barrier can be placed in a perpendicular position, an angle previous water filled barriers have not been able to achieve.

The Barrier can also be positioned face to face, which creates a closed connections that can be used to cover exposed areas such as open manhole covers.

BUDDHA BARRIER ANGLED VISUAL APPEARANCE >








SPECIFICATION SHEET Buddha Barrier Technical Overview







Row Of Joined Buddha Barriers



Buddha Connection Clips



Inter Directional Connection



Easy To Stack