



SPECIFICATION SHEET

Fencebrite

SPECIFICATION SHEET

Fencebrite



PRODUCT DESCRIPTION >

Fencebrite Strips can be attached to a variety of temporary fencing panels and crowd control barriers with ease.

Their ease of use make them the perfect solution for areas such as construction sites, road work construction and public access ways which require high visibility boundary demarcation.

Our Fencebrite Strips are available in both 2.0m and 3.5m lengths, they also come with fitting straps included so they can be installed straight away through pre-punched metal eyelets.

Fencebrite strips exceed Class R1 of EN12899 standards, they are flexible and durable, making them first choice for many outdoor applications.


FENCEBRITE SPEC >

Height	Length	Width	Weight
70mm	2000mm	150mm	200g
90mm	3500mm	150mm	500g

KEY FEATURES >

- ✦ Flexible & durable
- ✦ Exceeds Class R1 of EN12899 standards
- ✦ Easy to install through metal eyelets
- ✦ Available in 2.0m or 3.0m lengths
- ✦ Highly visible red and white patten
- ✦ High gauge PVC reflective film and PVC back trap
- ✦ Very rapid deployment
- ✦ Hexagon patten aids reflective attributes
- ✦ Winds up into a roll for easy storage
- ✦ Comes with fitting straps

FENCEBRITE VISUAL APPEARANCE >



DIMENSIONS > A. 150mm - B. 150mm - C. 70mm or 90mm - D (FULL LENGTH). 2000mm or 3500mm

SPECIFICATION SHEET

Fencebrite Technical Overview



TECHNICAL DETAILS >

