





SPECIFICATION SHEET Fence Light

SPECIFICATION SHEET Fence Light



PRODUCT DESCRIPTION :

Designed to clamp onto tubular Heras-style fencing products, Ibex Supplies LED Fence Light is built to be highly energy efficient, have an increased lifespan and solid build quality.

The fence light is very easy to install between the frame poles of each fencing panel, with a tamper resistant nut to ensure the security of the light while on site. The LED Fence Light is extremely energy efficient and can flash 80 times per minute, out highly visible LED light is controlled by an installed daylight sensor, which means the light can automatically turn on and off depending on the lighting conditions.

Unbeatable battery performance which will provide over 4000 hours (12 months) of use. Each light is supplied with two industrial standard 'C-Type' batteries.

FENCE LIGHT SPEC >

Length	Width	Weight
125mm	90mm	1.5kg

KEY FEATURES >

- → Flash Rate: 80 per minute
- Flashing or static illumination
- Fittings: Tamper resistant security screws (Keys supplied)
- Power Supply: 2 x C type Industrial Standard batteries
- Expected Battery Life: In excess of 12 months
- Light Frequency: 589nm (Bright Amber)
- Lens: 50mm diameter reinforced plastic
- Material: 3mm thick passivated steel
- Light Intensity: 27.64 Lumens
- Voltage: 3V

FENCE LIGHT APPEARANCE >





SPECIFICATION SHEET Fence Light





3mm thick steel