



SPECIFICATION SHEET

StrongWall Barrier

SPECIFICATION SHEET

StrongWall Barrier



PRODUCT DESCRIPTION >

A safe and reliable solution for pedestrian access and protection in construction areas, our StrongWall Barrier forms an exceptionally durable and effective barrier system.

The high density moulded top section can be filled with up to 15kg of water for extra stability. Quick and easy to install, this chapter 8 barrier's light weight makes it highly transportable and easy to stack in compact groups.

Anti-tampering technology in the linking system ensures that the safety barrier can withstand attempts to move or be interfered with once deployed.

STRONGWALL BARRIER SPEC >

Length	Height	Width	Weight Empty	Weight Full
1000mm	1000mm	520mm	22kg	37kg

KEY FEATURES >

- Designed for compact stacking to provide low transport costs
- Anti-tamper linking system
- Compatible with fence panels increasing height to 2m
- High density moulded top section can be water filled, adding a further 15kg
- Quick and easy installation
- Nationwide UK delivery

STRONGWALL BARRIER VISUAL APPEARANCE >



DIMENSIONS >

A. 520mm - B. 1000mm - C. 1000mm

SPECIFICATION SHEET

StrongWall Barrier With Fence



PRODUCT DESCRIPTION >

A safe and sturdy solution for roadways and construction sites, the StrongWall barrier is designed to be incredibly versatile.

By adding on a fence unit, each barrier can be adjusted to achieve double its regular height - perfect for ensuring extra safety in a variety of situations. These double height safety barriers are especially useful when controlling pedestrian and traffic flows at events and around building works and road works.

Made from 100% recycled material, the road barrier's 18kg black base offers strength and stability against high winds. A smart anti-trip design also allows safe access either side of the barrier base.


STRONGWALL FENCE SPEC >

Width	Height	Thickness	Weight
970mm	1060mm	40mm	3.6kg

KEY FEATURES >

- Quick and easy to slot into the StrongWall Barrier
- Round top anti climb mesh panels
- Thick 40mm tubular steel frame
- Fence add-on doubles the height to 2000mm
- Lightweight and simple to stack when in transit

STRONGWALL FENCE VISUAL APPEARANCE >




DIMENSIONS > A. 970mm - B. 1300mm - C. 1060mm - D. 245mm

SPECIFICATION SHEET

StrongWall Technical Overview



TECHNICAL DETAILS >



Robust Rubber Base Provides Solid Footing



Barrier Section Simply Slots Into Rubber Base



Interlocking Barriers Can Easily Form Curves



Fence Add-On Slots Directly Into Barrier