





SPECIFICATION SHEET HOG600 Barrier

www.ibexsupplies.co.uk

SPECIFICATION SHEET HOG600 Barrier

PRODUCT DESCRIPTION >



The HOG600 barrier is a great edition to the waterfilled barrier range by Ibex Supplies. Robust and long-lasting it has the capacity to hold 55 litres of water, shown by its handy fill-line indicator.

The easy to use interlocking hook-and-eye design, makes deployment fast for a single operative; the HOG600 weighs just 5.5kg when empty yet increases to a hefty 60kg when filled with water. This ensures simple yet swift installation.

The HOG600 Barriers are stocked in both red and white and made from HDPE (High-density polyethylene) the HOG600 is not only strong and durable, but completely 100% recyclable.

HOG600 BARRIER SPEC >

Length	Height	Width	Weight Empty	Weight Full
1130mm	560mm	400mm	5.5kg	60kg

KEY FEATURES >

- Designed to be secure and completely anti-trip
- Hook and eye connection for quick and simple deployment
- Water fill capacity to over 55 litres
- Stable and secure stacking
- Angular freedom of over 235°
- Fork lift entry for ease of movement
- Can be emptied from the top
- Compatible with other Water Filled systems
- Compatible with the multi-use DoubleTop
- Can be embossed with corporate logo
- 100% recyclable

HOG600 BARRIER VISUAL APPEARANCE >





SPECIFICATION SHEET HOG600 Barrier With Fence

PRODUCT DESCRIPTION >

The HOG600 facilitates the freedom to create 45-degree angles between each section, coupled with the Double Top Panels the height can be increased to 1560mm creating a clearly visible fence line.

The Double Top Panels slot securely into the HOG600 and interlock with their own hook and eye connectors.

Once temporary works have been completed, the HOG600 are designed to stack on top pf each other for easy storage or transportation, meaning you can move from site to site with ease.

HOG600 BARRIER FENCE SPEC >

Height	Working Width	Actual Width	Depth	Weight
1000mm	1010mm	1110mm	50mm	4.4kg



KEY FEATURES >

- DoubleTops come in red and white
- Lightweight at only 4.4kg
- Takes overall height to 1560mm
- Simple interlocking hock and eye connection
- Single operative installation
- Easy to stack, transport and handle
- Strong yet non-permanent fixing
- Manufactured from HDPE & 100% recyclable
- Can be embossed and/or colour coded for corporate identification
- No sharp edges

FENCE VISUAL APPEARANCE >





SPECIFICATION SHEET HOG600 Barrier Corners & Angles



PRODUCT DESCRIPTION >

The interlocking hook and eye design means you can clip together opposing colours to make continuous lines, curved edges and bends that are highly visible to see for road users, workers and pedestrians.

This is achieved by just unscrewing the two side bolts and re-attaching to the opposing colour.



HOG600 BARRIER ANGLED VISUAL APPEARANCE

SPECIFICATION SHEET HOG600 Barrier Wind Loading



PRODUCT DESCRIPTION >

HOG600 barriers are the perfect barrier for wind resistance, these temporary traffic barriers have been tested under strict conditions at Mira, enduring speeds of up to 60mph in their innovative wind tunnel.

HOG600 BARRIER WIND LOADING CAPABILITIES >



SPECIFICATION SHEET HOG600 Barrier Technical Overview







HOG600 Barrier Stacked 21 Per Pallet



HOG600 Barrier With Fence



HOG600 Barrier Multi Sided



HOG600 Barrier Boxed